


2106 – ‘Pompadour Verseuse’ Wall Mounted Mixer



| Part # | Description |
|--------|----------------------------|
| 01 | Hex Nut |
| 02 | Metal Ring & Rubber Washer |
| 03 | Aerator Cap |
| 04 | Threaded Pipe |
| 05 | Escutcheon |
| 06 | Verseuse Wall Spout |
| 08 | Brass Screw |
| 09 | Small Pompadour Handle |
| 10 | Aerator |
| 12 | ¼ Turn Ceramic Cartridge |
| 13 | Handle Stem |
| 14 | Rubber O-Ring |
| 15 | Cartridge Cover |
| 16 | Spline Adapter |
| 18 | Verseuse Body |
| 23 | Flow Restrictor |

Technical Information

- NSF / ANSI 61 & 372 / ASME A112.18.1 / CSA B125.1 / CEC AB1953 / WATERSENSE certified.
- Maximum flow rate is 1.2 GPM with low flow restrictor.
- 1 1/8" hole drilling.
- 3/8" tube connections.
- Pompadour handles.
- ¼ turn ceramic Flühs cartridges.
- Available finishes are French Weathered Brass (**47**), Polished Chrome (**48**), SoliBrass (**49**), Lacquered Matte Black Nickel (**50**), Old Gold (**52**), Old Silver (**53**), Polished Brass (**55**), Polished Nickel (**56**), Brushed Nickel (**57**), Satin Nickel (**60**), Antique Lacquered Copper (**67**), Antique Lacquered Brass (**68**), Weathered Brass (**70**), Lacquered Polished Black Nickel (**71**) and Lacquered Polished Copper (**80**).
- Please See Cleaning Instructions: <http://herbeau.com/CleaningAll.pdf> For Finish Care and Maintenance Information.



U.P. Code
NSF-61/9-G
ASME A112.18.1/CSA B125.1



Certified by
NSF International


Please follow example when ordering parts for 'Verseuse' Mixer

- To order part# 09 – Small Pompadour Handle
 - 990706xx
- Please substitute finish number needed in place of xx




Herbeau®
L'Art du Sanitaire depuis 1857

2106 - 'Pompadour Verseuse' Wall Mounted Mixer



2106 - 'Pompadour Verseuse' Wall Mounted Mixer

*P/N = PART NUMBER



○ = FINISHED PARTS

XX = TWO DIGIT FINISH CODE