



# BF1824-XXX

**TD3 Thermostatic Shower System** 

#### **SPECIFICATIONS**



#### **Components included**

- 105509-XXX\*: 3-way AQUATONIK<sup>™</sup> type T/P 1/2" valve with diverter decorative trim
- BF1633-XXX\*: Rainhead with 90° wall arm
- 104286-XXX\*: 2-jet handshower (2 direct functions and 1 shared function)
- 103577-XXX\*: Wallbar
- 101620-XXX\*: 60" flexible and soft PVC hose
- 102847-XXX\*: Wall outlet
- 104337-XXX\*: Tub spout
- \* XXX means that the finish color must be specified.

#### **Colors (Finishes)**

• Chrome: BF1824-110

#### Certifications

The specified model meets or exceeds the following standards;

(II) CSA B125.1 ASME A112.18.1 Intertek

See the following sheets for the technical features of each component.

#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9





## ROUNDONE

### **BF1633** Rainhead with 90° Wallarm

**SPÉCIFICATIONS** 

#### Features

- Male water inlet 1/2NPT on wall arm
- Female water inlet G1/2 on rainhead
- Rainhead diameter of 220 mm (8 5/8")
- Anti-scale system with soft sprays
- Adjustable orientation swivel

#### **Colors (Finishes)**

- Chrome: BF1633-110
- Matte Black: BF1633-160

#### Maximum flow rate

• 9.5 L/min (2.5 gpm) at 80 psi

#### Certifications

The specified model meets or exceeds the following standards;






#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9





### **104286** 2-jet handshower SPECIFICATIONS

#### Features

- Dimension: 120 mm (4 3/4")
- Anti-scale system with soft sprays
- Male water inlet G1/2
- 2 direct functions and 1 shared function

#### **Colors (Finishes)**

- Chrome: 104286-110
- Matte Black: 104286-160

#### Maximum flow rate

• 9.5 L/min (2.5 gpm) at 60 psi

#### Certifications

The specified model meets or exceeds the following standards;






#### Installation Notes

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9





### 103577 Wallbar for handshower SPÉCIFICATIONS

#### Features

- Total height of 742 mm (30")
- Easy-to-use gliding system
- Locking system

#### **Colors (Finishes)**

- Chrome: 103577-110
- Matte Black: 103577-160




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9





### 104337 Tub Spout SPÉCIFICATIONS

#### Features

- 1/2" cooper "slip fit" inlet or male water inlet 1/2NPT with 76 mm (3") adjustment
- Solid brass construction
- · Regular water jet
- · High water flow

#### **Colors (Finishes)**

- Chrome: 104337-110
- Matte Black: 104337-160

#### Certifications

CSA 81251

ASME A112.18.

The specified model meets or exceeds the following standards;






#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Pa Sainte-Marie (Québec) Canada G6E 1G9





### **102847** Wall Outlet SPECIFICATIONS

#### Features

- Male or female water inlet 1/2NPT
- Male water oulet G1/2
- Solid brass construction
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

#### **Colors (Finishes)**

- Chrome: 102847-110
- Brushed Nickel PVD: 102847-120
- Matte Black: 102847-160

#### Certifications

The specified model meets or exceeds the following standards;



CSA B125.1 rtek ASME A112.18.1




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street, Industrial Park Sainte-Marie (Québec) Canada G6E 1G9

